



Main Features:-

- ◆ In Line Strainer For Water
- ◆ BSP F-F End Connectors
- ◆ Max Working Pressure PN16
- ◆ Working Temperature 0°C to + 110C *
- ◆ NBR O'Ring, AISI 304 Sieve (800 microns)

*Temperature and pressure determined by valve body, seat etc.

Suitable Applications & Approvals:



HVAC



OIL



GAS



INDUSTRY




SERIES: 80613

MANUFACTURER: **GENEBRE**


VALVE MATERIALS & DIMENSIONS

ITEM	SECTION	MATERIAL	ADDITIONAL INFO / OPTIONS
1	Body	Brass	Peened + Chromed
2	Cap	Brass	Peened + Chromed
3	Filter	AISI 304	n/a
4	O'Ring	NBR	n/a

REF	SIZE R	D	L	M	A	KG
80613-04	1/2"	27	58	36	62	0.14
80613-05	3/4"	33	74	43	76	0.24
80613-06	1"	40	90	48	87	0.375
80613-07	1 1/4"	49	115	56	105	0.660
80613-08	1 1/2"	58	135	66	115	0.980
80613-09	2"	71	161	80	135	1.54



PRESSURE AND TEMPERATURE CHART



GENEBRE :

Genebre is a leading company and world reference in fluid control and high-quality taps. They control all the creation processes, responding to the specific needs of each market: from the initial concept and design of the product to the production and commercialization.



T +44 (0)1386 552369

E sales@allvalves.co.uk

W www.allvalves.co.uk

F +44 (0)1386 554227